

FESTOOL

Amazingly adaptable.

The modular router MFK 700 with changeable router base system: ideal for changing requirements.



No Compromises!

MFK 700: the universal genius for edges and corners.

One router, two bases: changing applications with the flick of a wrist.

Due to its modular design, the MFK 700 is a cost-saving multi-talent: simply change the router base, rather than reaching for a different tool, and you'll be equipped to handle any tasks involving edges and corners. Attach the appropriate base in a few simple steps – and you're ready to trim veneers or rout grooves straight-away. Or round-over edges, or create edge profiles, or do many other things...



Work safely and achieve precise results.

With its large support base and additional hand grip, the MFK 700 can be optimally and safely controlled – without tilting, even when routing around corners.

Always easy, always clean.

The parallel side fence with fine adjustment delivers perfect corners. Improved tool performance and a clean workplace: the dust extraction system – positioned directly on the base – removes chips and dust without getting in your way.



Perfectly adjusts to any material.

Be it fine-tuning the routing depth to 1/10 mm or matching tool speed to material through electronic speed control: the MFK 700 can be precisely adjusted to meet your needs.

The perfect router base for veneer edge projections.

The router base is inclined 1.5° to facilitate safe routing of laminated boards. The 90° base cut-out facilitates quick flush trimming of glued-on veneer – even around corners.

Modular equipment for changing applications

1.5° inclined router base.

For easy flush trimming of veneers. The router base is inclined 1.5° to prevent damage to the workpiece.

FT-MFK 700/1.5°
Order no. 495165



Flat router base.

Veneer on covered or coated workpieces is routed at an exact right angle to the surface.

FT-MFK 700/0°
Order no. 491427



Parallel side fence with fine adjustment.


Parallel side fence is cast aluminium with adjustable stops. Fine adjustment to 1/10 mm accuracy. With extraction hood.

SA-MFK 700
Order no. 495182



Additional routers are listed in the main catalogue from page 137.

You can use 6, 6.35 and 8 mm collets with the modular router MFK 700.



1

Standard router base



MFK 700 with interface for changing the base without tools.

2

1.5° router base



News and promotions

Online product catalogue

Online shops

Dealer search

Test reports

Service

Application examples

3D animation

Your link to more information

On the Festool site you can find information about

- new products
- helpful application examples
- our comprehensive after-sales service
- the complete product range
- product features in detail
- And all of this at your leisure

And all of this at your leisure.

Order around the clock from your Festool System Partner Dealer.

It's easy: just visit www.festool.co.uk

Modular router MFK 700



Applications

- Routing solid wood, acrylic and PVC veneer
- Bevelling, rounding and profiling edges
- Cutting grooves or trenches with the parallel side fence with fine adjustment

Features

- Suits a wide range of applications due to changeable router bases
- Simple adjustments for fast setup and routing
- Electronic speed control for optimum adjustment to any material
- Thermal overload protection for long service life
- Large support surface for precise results

Technical data

Power consumption	720 W
Column lift	14 mm
No-load speed	10000 - 26000 rpm
Max routing diameter	32 mm/1"
Fine adjustment	1/10 mm
Connection for dust extraction	dia. 27 mm
Weight	1.9 kg

Version

Modular router MFK 700 EQ Plus

Scope of delivery:

MFK 700 with extraction hood, 8mm and 1/4" clamping collet, parallel side fence with fine adjustment and extraction hood, operation tools, in SYSTAINER SYS 2

240V:574416; 110V:574415

FESTOOL

www.festool.co.uk

TTS Tooltechnic Systems GB Ltd

Saxham Business Park
Saxham, Bury St Edmunds
Suffolk
IP28 6RX

Phone: +44 (0)1284 760791

Fax: +44 (0)1284 702156

E-mail: info@festool.co.uk

Three years guarantee – that means three years security.



Festool grants a 1 year guarantee from the date of purchase, as long as the tool has been used correctly. This guarantee is automatically extended by a further two years, provided that the warranty form with every new tool is completed correctly and returned to Festool Australia within 30 days of the date of purchase.

Dealer